

# SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

## Title V Permit Summary

AQMD Facility ID: 153033		Company Name: Georgia-Pacific Corrugated, LLC															
Equipment Location: 6300 Regio Avenue, Buena Park, CA 90620			SIC Code: 2679														
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:															
Application #(s): 503414		Application Submittal Date(s): 10/30/09															
AQMD Contact Person: Hamed Mandilawi		Phone #: (909) 396-3275	E-Mail Address: hmandilawi@aqmd.gov														
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in the manufacturing of corrugated sheets and boxes. The facility operates corrugators, flexographic printing presses, starch storage and handling system, coaters, storage tanks, a boiler, a wastewater treatment system, and other supporting equipment.																	
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal																	
Permit Features: <input checked="" type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input checked="" type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance																	
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2009		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> <u>The Following TACs Were Reported:</u> <table style="margin-left: 20px; border: none;"> <tr> <td>Ammonia</td> <td style="text-align: right;">Emissions (lbs/yr): 1107</td> </tr> <tr> <td>Benzene</td> <td style="text-align: right;">0.36</td> </tr> <tr> <td>Ethyl Benzene</td> <td style="text-align: right;">0.42</td> </tr> <tr> <td>Formaldehyde</td> <td style="text-align: right;">84.5</td> </tr> <tr> <td>Hexane</td> <td style="text-align: right;">0.28</td> </tr> <tr> <td>Toluene</td> <td style="text-align: right;">1.64</td> </tr> <tr> <td>Xylenes</td> <td style="text-align: right;">1.22</td> </tr> </table>		Ammonia	Emissions (lbs/yr): 1107	Benzene	0.36	Ethyl Benzene	0.42	Formaldehyde	84.5	Hexane	0.28	Toluene	1.64	Xylenes	1.22
Ammonia	Emissions (lbs/yr): 1107																
Benzene	0.36																
Ethyl Benzene	0.42																
Formaldehyde	84.5																
Hexane	0.28																
Toluene	1.64																
Xylenes	1.22																
Health Risk From Toxic Air Contaminants:		<input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = _____ in one million Acute Hazard Index = _____ Chronic Hazard Index = _____															
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2009		<table style="border: none;"> <tr> <td><input checked="" type="checkbox"/> NOx</td> <td style="text-align: right;">4.85</td> <td><input checked="" type="checkbox"/> PM</td> <td style="text-align: right;">1.87</td> </tr> <tr> <td><input checked="" type="checkbox"/> CO</td> <td style="text-align: right;">2.56</td> <td><input type="checkbox"/> SOx</td> <td style="text-align: right;">0.02</td> </tr> <tr> <td><input checked="" type="checkbox"/> VOC</td> <td style="text-align: right;">6.23</td> <td><input type="checkbox"/> Other:</td> <td style="text-align: right;">_____</td> </tr> </table>		<input checked="" type="checkbox"/> NOx	4.85	<input checked="" type="checkbox"/> PM	1.87	<input checked="" type="checkbox"/> CO	2.56	<input type="checkbox"/> SOx	0.02	<input checked="" type="checkbox"/> VOC	6.23	<input type="checkbox"/> Other:	_____		
<input checked="" type="checkbox"/> NOx	4.85	<input checked="" type="checkbox"/> PM	1.87														
<input checked="" type="checkbox"/> CO	2.56	<input type="checkbox"/> SOx	0.02														
<input checked="" type="checkbox"/> VOC	6.23	<input type="checkbox"/> Other:	_____														
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (# 0)																	
Comments:																	